

CURVA GRANULOMÉTRICA

DATOS DE LA MUESTRA

SITIO:	Arenera Helena - Río Cuarto		
Muestra Nro.:	Piedra 10-30 mm		

TIPO DE TAMIZADO	EN SECO	Peso muestra	2403.9	g
------------------	---------	--------------	--------	---


Tamiz Nro	1	1 1/2	3/4	3/8	4	10
Abertura (mm)	0	0	0	0	0	0
% Pasante	0.0	0.0	0.0	0.0	0.0	0.0
% Retenido acumulado	0.0	74.5	99.9	100.0	100.0	100.0
% Retenido parcial	0.0	74.5	25.5	0.0	0.0	0.0

Pasa tamiz N° 4 (4,75 mm):	0.0 %
Pasa tamiz N° 10 (2.0 mm):	0.0 %
Pasa tamiz N° 40 (0,425 mm):	0.0 %
Pasa tamiz N° 200 (0,075 mm):	0.0 %
D60:	26.0 mm
D30:	19.8 mm
D10 (talla efectiva):	12.5 mm
Coefficiente de uniformidad (Cu):	2.1
Grado de curvatura (Cc):	1.2

Fracciones presentes según SUCS

% en peso	
Grava gruesa (> 19 mm):	74.5 %
Grava fina (19 - 4.75 mm):	25.5 %
Arena gruesa (4.75 - 2 mm):	0.0 %
Arena media (2 - 0.425 mm):	0.0 %
Arena fina (0.424 - 0.075 mm):	0.0 %
Limo y arcilla (< 0.075 mm):	0.0 %

CLASIFICACIÓN UNIFICADA: GP



Mg. DANIEL ORIGLIA
Dpto. De Geología - UNRC
Mat. A-808